



	Existing 26-Inch-Diameter Pipeline		Milepost		Hydrostatic Test Water Discharge Location
	Existing 30-Inch-Diameter Pipeline		Compressor Station		
	Proposed 36-Inch-Diameter Pipeline		Mainline Valve		
			Pig Launcher		
			Pig Receiver		

**Figure B-3**  
**Capacity Replacement Project**  
 Snohomish Loop  
 Facility Locations











0 370 740 1,480 2,220 2,960 Feet



- |                                    |                    |   |
|------------------------------------|--------------------|---|
| Existing 26-Inch-Diameter Pipeline | Milepost           | Hydrostatic Test Water Discharge Location |
| Existing 30-Inch-Diameter Pipeline | Compressor Station |   |
| Proposed 36-Inch-Diameter Pipeline | Mainline Valve     |   |
|                                    | Pig Launcher       |   |
|                                    | Pig Receiver       |   |

**Figure B-3**  
**Capacity Replacement Project**  
 Snohomish Loop  
 Facility Locations





- |                                    |                    |   |
|------------------------------------|--------------------|---|
| Existing 26-Inch-Diameter Pipeline | Milepost           | Hydrostatic Test Water Discharge Location |
| Existing 30-Inch-Diameter Pipeline | Compressor Station |   |
| Proposed 36-Inch-Diameter Pipeline | Mainline Valve     |   |
|                                    | Pig Launcher       |   |
|                                    | Pig Receiver       |   |

**Figure B-3**  
**Capacity Replacement Project**  
 Snohomish Loop  
 Facility Locations